

Specifications and Summary

Cessna Citation CJ3

PRELIMINARY SPEC



2007 Cessna Citation CJ3

Serial Number 525B-0171, N727YB

Guardian Jet, LLC
60 Thompson Ave
East Haven, Connecticut 06512
203-467-2500 203-467-6400 Fax
Guardian@guardianjet.com
www.guardianjet.com





PRELIMINARY SPECIFICATION

2007 Cessna Citation CJ3

N727YB - S/N 525B-0171

TOTAL TIME: (As of 11/28/2007)

TTAF: 68.1

LANDINGS: 51

ENGINES: Williams/Rolls Royce FJ44-3A

SNEW:

Cycles:

Serial Number:

Left

68.1

55

141351

Right

68.1

55

141352

I, _____ have reviewed this specification and with the changes/additions marked, find it to accurately represent the specification, equipment and options contained within the aircraft.

Signature

Name

Date

WEIGHTS:

MAX RAMP: 14,070

MAX ZERO FUEL: 10,510

MAX TAKEOFF: 13,870

FUEL CAPACITY: 4,710

MAX LANDING: 12,750

EMPTY WEIGHT: 8,286

AVIONICS DESCRIPTION:

Collins Proline 21 Avionics System is an integrated Flight Director/Autopilot and EFIS system utilizing three 8"x10" Color Liquid Crystal Displays (LCD). The Primary Flight Displays (PFD) are located on the pilot's and copilot's panel with an Enhanced Multi-Function Display (MFD) on the center panel.

All displays are capable of providing compass, radar information, and engine parameters. The MFD has enhanced capabilities and is able to display a variety of graphical information.

The weather display may be overlaid on either the arc or map format. The PFD's also display lateral navigation information in conjunction with the compass information. Vertical deviation, distance, display, autopilot/flight director annunciations, and navigation bearings are also displayed on the PFD. Dual Collins AHC-3000 Attitude Heading Reference Systems supply attitude and magnetic or true heading information to the PFD..

Engine parameters will be displayed at the top of the MFD, including N1, N1 reference, thrust mode, ITT, ignition selected annunciation, N2, oil temp, oil pressure, fuel quantity, fuel flow and fuel temperature. Below the engine display is a window which may display extended FMS data or an integrated electronic checklist. The lower portion of the MFD displays navigation in either a full compass rose, partial compass arc, present position (PPOS) map format or a planning map format. Situational awareness presentations (weather detection, TAWS, and TCAS) may be overlaid on either the arc or PPOS map formats. Temperatures (TAS, RAT, SAT and ISA deviation) are displayed at the bottom of the MFD. Electronic approach and taxi charts and uplinked graphical weather may also be displayed on the MFD.

The single Collins Flight Management System FMS-3000 provides multiple waypoint navigation solution blended from available GPS, VOR, and DME sources, suitable for en-route, terminal, and non-precision approach navigation. Both lateral and vertical modes may be displayed on the Flight Director and may be fully coupled to the autopilot. Airway flight planning, plain language identifiers and airport communication and navigation frequency lookup features are included. Present position referenced geopolitical and airspace boundaries, and airways may be overlaid on any of the FMS formats. The CDU-3000 (Control Display Unit) provides an alternate method for controlling the radio sensors, in lieu of the RTU-4210s (Radio Tuning Units). An optional Performance Data Base is available which will enable ground-based predicted performance, including automatic computation of takeoff reference speeds.

AVIONICS EQUIPMENT:

COMMUNICATIONS: (2) Pro Line 21 CNS Radios by Collins include dual COM with dual Radio Tuning Units

VHF NAVIGATION: (2) Pro Line 21 CNS Radios by Collins include dual NAV

FLIGHT DIRECTOR: Collins Proline 21 Integrated Avionics System

AUTOPILOT: Collins Proline 21 Integrated Avionics System

EFIS: Collins Proline 21 3-Tube Integrated System

RADAR: Collins WXR-800 Weather Radar

BROADCAST WEATHER: XM WX Satellite Weather Data receiver displayed on MFD (subscription required)

TRANSPONDER*: (2) Upgraded TDR-94D Mode S Diversity Transponders with Enhanced Surveillance capability.

**[NOTE: This option is required to meet European regulations] ✓*

DISTANCE MEASURING EQUIPMENT: (1) Pro Line 21 CNS Radios by Collins include single DME

RADIO ALTIMETER: (1) Collins ALT-4000 Radar Altimeter

AIR DATA COMPUTER: (2) Collins ADC-3000 Air Data Computer

ALTITUDE HEADING REFERENCE SYSTEM: (2) Collins AHC-3000 AHRS

FLIGHT MANAGEMENT SYSTEMS/GLOBAL POSITIONING SYSTEMS: (1) Collins FMS-3000 with both lateral and vertical modes and (1) Garmin 500 FMS which serves as a second, independent FMS using its own internal GPS sensor with advisory vertical nav data.

ELECTRONIC CHARTS: Collins Chartlink permits displaying Jeppesen Electronic Charts on MFD (subscription required)

TRAFFIC COLLISION AVOIDANCE SYSTEM: Collins TCAS-4000 (TCAS II) with Change 7

TERRAIN AWARENESS AND WARNING SYSTEM*: L3 Communications TWAS 8000 Class B TAWS

**[NOTE: Class B TAWS (or better) required for Part 91 ops in a/c with >6 seats by March 29, 2005] ✓*

EMERGENCY LOCATOR TRANSMITTER*: ARTEX C406-2 three frequency ELT which interfaces with FMS to transmit last known aircraft position

**[NOTE: ELT is required 1/1/2004 of all nonscheduled N-registered jet aircraft] ✓*

BATTERY: Marathon 44-amp hour Ni-Cad Battery

ADDITIONAL EQUIPMENT / OPTIONS:

- TCAS-4000 (TCAS II)
- GARMIN GPS 500
- JEPPESEN ELECTRONIC CHARTS (subscription required)
- COCKPIT VOICE RECORDER: L3 Communications FA2100
- HIGH FREQUENCY RADIO: Collins HF-9000 HF Radio (Provisions Only)
- AUTOMATIC DIRECTION FINDER: (1) Pro Line 21 CNS Radios by Collins includes a single ADF
- VOICE ANNUNCIATOR
- COCKPIT SPEAKER MUTE SWITCH
- BOSE HEADSET JACKS at pilot and copilot positions
- DUAL CHANNEL IRIDIUM ANTENNA and low-loss coax to 2 BNC connectors (one located in cockpit pedestal and one at Seat #6)
- PULSELITE 2401 SYSTEM interfaced to TCAS II
- STEEP APPROACH CERTIFICATION
- HEADSET HOOKS
- LOCKING FUEL CAPS
- SEWN-IN SHEEPSKIN FOR PILOT'S SEATS
- Additional 110V AC OUTLET ON PILOT'S SIDE CONSOLE
- RH FORWARD SIDE-FACING SEAT
- STANDARD ENTRY DOOR STEPS REPLACED WITH BRAVO/ENCORE STYLE STEPS
- LEFT HAND BELTED FLUSHING TOILET

CAPABILITIES:

RVSM: Yes, Factory Standard

FIREBLOCKED: Yes



INTERIOR:

This 8 passenger (plus 2 pilots) CJ3 seating configuration consists of a forward side facing seat across from entry door and a four place club in the mid cabin. Directly aft of the forward club seats are two forward facing seats and a belted flushing toilet with privacy pocket doors in the very aft. The interior features Pacific Style Tailoring Townsend Natural Leather passenger seats throughout with 2 stowable Executive Tables with Leather Table Top Inserts at the mid club seats. Each chair has stowable inboard armrests and hidden headrests. The hardware is brushed aluminum. The left and right side ledges are Sapele High Gloss Wood Veneer. Window shades are manually operated Beach Shells pleated fabric. The Sidewalls are Sienna Townsend Leather. The cabin lighting includes PSU Indirect Lighting and Dropped Aisle Accent Lighting. The carpet is Kalogridis "Cairo" design. The right side refreshment center features a Slimline Refreshment Center with a Hot Liquid Tank, Ice Drawer and Trash Drawer. The Cabinetry is Sapele (African Mahogany) High Gloss Wood. The storage cabinet aft of the Pilot's Seat provides general storage and the Flight Deck includes Sewn-In Sheepskin Pilot seats with 110VAC electrical outlets at both pilot and copilot stations. The passenger seats are fireblocked.

EXTERIOR:

Overall Snow White with Platinum Metallic Cayenne Red Pearl and Ming Blue II Metallic trim.

MAINTENANCE & INSPECTION:

- ▶ Enrolled in CESCO
- ▶ Maintained at Cessna Citation Service Center

WARRANTY INFORMATION:

Warranty Start Date began on date of delivery:	August 21, 2007
Cessna Aircraft Manufactured Components:	5 years or 5,000 operating hours
Standard Collins Aircraft Avionics:	5 years or 5,000 operating hours
All other Standard Aircraft Avionics:	2 years
Optional Avionics, interior furnishings, exterior paint, all Special Equipment requests and vendor items:	1 year
Williams FJ44-3A engines:	36 months or 1500 engine operating hours for 1 st user

(NOTE: This warranty information is an incomplete synopsis. Owner must review manufacturers warranty information. All warranties are administrated by Cessna and subject to verification.)

HISTORY:

- This aircraft was delivered from the factory on 8/21/2007. One owner since new.
- No Known Damage History



AVAILABLE: TBD.

ASKING PRICE: TBD

This aircraft is being brokered by Guardian Jet, LLC. Prospective purchasers are encouraged to conduct their own independent pre-purchase inspection as Guardian Jet, LLC makes no representations as to the airworthiness of the aircraft or the accuracy of the above information. Specifications subject to verification upon inspection. Aircraft subject to prior sale.

12042007/SS

Aircraft Photographs









