



# **GULFSTREAM G280**

## **N968UD S/N 2157**

### **Specifications and Summary**



## 2019 GULFSTREAM G280

### N968UD S/N 2157



**OFFERED AT: Make Offer**

**Aircraft Highlights:**

FANS 1/A  
 Synthetic Vision  
 GoGo Avance L5 WiFi  
 Standard New Aircraft Warranty Transferable

**STATUS:** As of July 3<sup>rd</sup>, 2021

**TOTAL TIME:** 687.2

**LANDINGS:** 520

**ENGINES:** Honeywell AS907-2-1G

	LEFT	RIGHT
Total Time Since New:	707.2	707.2
Cycles Since New:	538	538
HSI Borescope (HRS):	4,800	4,800
CZI Borescope (HRS):	9,600	9,600
SERIAL NUMBER:	P-130429	P-130430

**APU:** GTCP 36-150  
**Serial Number:** P-266  
**TSN:** 427

**WEIGHT:**

<b>MAX RAMP WEIGHT:</b>	39,750 Lbs.	<b>MAX TAKE-OFF WEIGHT:</b>	39,600 Lbs.
<b>MAX LANDING WEIGHT:</b>	32,700 Lbs.	<b>MAX ZERO FUEL WEIGHT:</b>	28,200 Lbs.
<b>EMPTY WEIGHT:</b>	23,544 Lbs.	<b>BOW (OVER WATER):</b>	24,460 Lbs.
		<b>MAX USABLE FUEL:</b>	14,600 Lbs.

**CAPABILITIES:**

FANS 1/A	WAAS/LPV	Autothrottles
TCAS 7.1	ADS-B Out	Electronic Charts
RVSM Capable	XM Weather	Automatic Descent Mode
Synthetic Vision		

## AVIONICS & COCKPIT



### **AVIONICS:** Rockwell Collins Pro-Line Fusion

**AIR DATA COMPUTER:** Dual Rockwell Collins ADC-3010 Air Data Computers

**AUTOTHROTTLES:** Gulfstream Auto Throttles

**COCKPIT VOICE RECORDER:** Multi-Purpose CVR/FDR

**COMMUNICATIONS:** Triple Rockwell Collins VHF-4000E VHF Transceivers

**DISTANCE MEASURING EQUIPMENT:** Dual Rockwell Collins DME-4000 Distance Measuring Equipment

**EMERGENCY LOCATOR TRANSMITTER:** Artex C406-N ELT

**FLIGHT DATA RECORDER:** Multi-Purpose CVR/FDR

**FLIGHT MANAGEMENT SYSTEM:** Dual Rockwell Collins FMS

**GLOBAL POSITIONING SYSTEM:** Dual Rockwell Collins GPS-4000S Global Positioning System

**GRAPHICAL WEATHER:** Rockwell Collins XM Weather

**HIGH FREQUENCY COMMUNICATION:** Dual Rockwell Collins HF-9031A HF Transceivers

**INERTIAL REFERENCE SYSTEM:** Dual Honeywell Laseref VI Micro Inertial Reference Unit

**NAVIGATION:** Rockwell Collins NAV-4000 and NAV-4500 VOR/ILS/ADF/MB Navigation Receiver

**RADAR:** Rockwell Collins RTA-4118 Weather Radar

**RADIO ALTIMETER:** Single Rockwell Collins ALT-4000 Radio Altimeter

**TERRAIN AWARENESS WARNING SYSTEM:** Rockwell Collins Integrated TAWS System

**TRAFFIC COLLISION AVOIDANCE SYSTEM:** Rockwell Collins TSS-4100 TCAS

**TRANSPONDER:** Rockwell Collins TDR-94D Transponder



## CABIN ENTERTAINMENT & COMMUNICATIONS

### ENTERTAINMENT

- Gulfstream Cabinview System
- Forward Cabin 19" HD Monitor
- Aft Cabin 19" HD Monitor
- Blu-Ray Player with Media Server
- LED Lighting



### COMMUNICATIONS

- ICG 220A Dual Channel Iridium satellite phone
- GoGo Avance L5 WiFi

## MAINTENANCE & INSPECTION STATUS BREAKDOWN

- Maintenance Tracking by Gulfstream CMP

<b><u>INSPECTION</u></b>	<b><u>LAST COMPLETED</u></b>	<b><u>NEXT DUE</u></b>
12 Month Inspection	01/2021	01/2022
24 Month Inspection	01/2021	01/2023
36 Month Inspection	N/A	01/2022
48 Month Inspection	N/A	01/2023
96 Month Inspection	N/A	01/2027

## INTERIOR

### INTERIOR DESCRIPTION

*(Original Interior)*

Beautiful ten(10) passenger cabin features a 4-place club seat configuration with two fold out tables in the forward cabin. The aft cabin features a four-place conference group across from two club seats. A forward galley and aft lavatory complete this interior.



*Forward Cabin Looking Aft*



## INTERIOR



*Forward Cabin Looking Forward*



*Aft Cabin Looking Aft*

## INTERIOR



*Aft Cabin Looking Forward*



*Aft Conference Group*



## GALLEY & LAVATORY



*Forward Galley Looking Forward*



*Aft Lavatory*

### **FORWARD GALLEY DESCRIPTION**

Coffee Maker  
High Temp Oven  
Food Chiller



## EXTERIOR

### EXTERIOR DESCRIPTION

*(Original)*

Overall White with Black and Blue Striping



*Prospective purchasers are encouraged to conduct their own independent pre-purchase inspection as this sheet makes no representations as to the airworthiness of the aircraft or the accuracy of the above information. Specifications subject to verification upon inspection. Aircraft subject to prior sale.*

**2021 08 02 / PL**